

Amendments to the Claims:

Claims 1-15 are pending in this application. Claims 1 and 9-15 are independent.

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1 (CURRENTLY AMENDED): An image sensing apparatus comprising:

setting means for setting a sensing condition for image sensing;

sense means for sensing an image in accordance with the sensing condition set by said setting means;

converting means for converting time information of the image sensed at said sense means into text data; and

transmitting means for transmitting, by electronic mail, the sensing condition and the text data converted at said converting means as a part of electronic mail text message when the image was sensed by said sense means,

wherein the converted text data is separated from the image.

2 (ORIGINAL): The apparatus according to claim 1, wherein said transmitting means transmits electronic mail having information indicating the sensing condition added to a message portion.

3 (ORIGINAL): The apparatus according to claim 1, wherein said transmitting means transmits electronic mail having information indicating the sensing condition added to a subject portion.

4 (ORIGINAL): The apparatus according to claim 1, wherein said transmitting means

transmits the sensing condition together with the image sensed by said sense means.

5 (ORIGINAL): The apparatus according to claim 1, wherein the sensing condition set by said setting means includes any one of a specific time, a predetermined elapsed time, sensor detection by an external sensor, detection of a sound level higher than a predetermined level, and operation of a sensing button.

6 (ORIGINAL): The apparatus according to claim 1, wherein said transmitting means can transmit image stored in an external memory, and also transmits, when transmitting image stored in the external memory, information indicating that the transmitted image is an image that has been stored in the external memory.

7 (PREVIOUSLY PRESENTED): The apparatus according to claim 1, wherein the time information includes a time at which the image was sensed by said sense means.

8 (ORIGINAL): The apparatus according to claim 1, further comprising transfer means for transferring the image sensed by said sense means to a server connected to a network, wherein said transmitting means transmits link address information for specifying the image transmitted to the server, together with the sensing condition.

9 (CURRENTLY AMENDED): An image sensing apparatus comprising:
setting means for setting a sensing condition for image sensing;
sense means for sensing an image in accordance with the sensing condition set by said setting means;
converting means for converting time information of the image sensed at said

sense means into text data; and

transmitting means for transmitting, by electronic mail, the text data converted at said converting means as a part of electronic mail text message indicating a time at which the image was sensed by said sense means,

wherein the converted text data is separated from the image.

10 (CURRENTLY AMENDED): An image sensing apparatus comprising:

setting means for setting a sensing condition for image sensing;

sense means for sensing an image in accordance with the sensing condition set by said setting means;

converting means for converting time information of the image sensed at said sense means into text data; and

electronic mail creating means for creating electronic mail to which the sensing condition under which the image was sensed by said sense means and the text data converted at said converting means as a part of electronic mail text message are added,

wherein the converted text data is separated from the image.

11 (CANCELLED):

12 (CURRENTLY AMENDED): A control method for an image sensing apparatus comprising:

a storing step of storing a sensing condition for image sensing;

a sensing step of sensing an image in accordance with the sensing condition stored in the storing step;

a converting step of converting time information of the image sensed at said sensing step into text data; and

a transmitting step of transmitting, by electronic mail, the sensing condition and the text data converted at said converting step as a part of electronic mail text message when the image was sensed in the sensing step,

wherein the converted text data is separated from the image.

13 (CURRENTLY AMENDED): A control method for an image sensing apparatus comprising:

a storing step of storing a sensing condition for image sensing;

a sensing step of sensing an image in accordance with the sensing condition stored in the storing step;

a converting step of converting time information of the image sensed at said sensing step into text data; and

a transmitting step of transmitting, by electronic mail, the text data converted at said converting step as a part of electronic mail text message indicating a time at which the image was sensed in the sensing step,

wherein the converted text data is separated from the image.

14 (CURRENTLY AMENDED): A control method for an image sensing apparatus comprising:

a storing step of storing a sensing condition for image sensing;

a sensing step of sensing an image in accordance with the sensing condition

stored in the storing step;

a converting step of converting time information of the image sensed at said sensing step into text data; and

an electronic mail creating step of creating electronic mail to which the sensing condition when the image was sensed in the sensing step and the text data converted at said converting step as a part of electronic mail text message are added,

wherein the converted text data is separated from the image.

15 (CANCELLED):